according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

SECTION 1. IDENTIFICATION

Product identifier

Product name FYFANON EW INSECTICIDE

Other means of identification

Product code 50001290

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

<u>Supplier Address</u> FMC Corporation

2929 Walnut Street Philadelphia PA 19104

USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR

1910.1200)

Skin sensitization : Sub-category 1B

Carcinogenicity : Category 1B

GHS label elements

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap. P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
malathion (ISO) [containing ≤ 0,03 %	121-75-5	41
isomalathion]		

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Malathion is a cholinesterase inhibitor affecting the central and peripheral nervous systems producing respiratory depression. If any sign of cholinesterase inhibition occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to an organophosphorus insecticide. Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.

This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.

If inhaled : Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

Wash contaminated clothing before re-use.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Exposure may result in nausea, vomiting, tremors, cramps, weakness, shortness of breath, a slowed heart rate, head-

ache, abdominal pain, and diarrhea.

Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing. On contact, the first symptoms to appear may be irritation. Symptoms of cholinesterase inhibition: nausea, headache, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose,

muscle spasms and coma.

May cause an allergic skin reaction.

May cause cancer.

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Avoid inhalation, ingestion and contact with skin and eyes. If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

ANTIDOTE: If symptoms of cholinesterase inhibition (see subsection 4.2.) are present, administer atropine sulphate, which often is a lifesaving antidote, in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as possible. Repeat at 5 to 10 minute intervals until signs of atropinisation appear and maintain full atropinisation until the chemical product is fully metabolised.

Relapse can occur after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS, DEPENDING ON THE SEVERITY OF POISONING.

If any of the signs of cholinesterase inhibition occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to an organophosphorus insecticide

Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.

In an industrial setting, the antidote atropine sulphate should be available at the workplace.

Decontamination procedures such as whole body washing, gastric lavage and administration of activated charcoal are often required.

Obidoxime chloride (Toxogonin), alternatively pralidoxime chloride(2-PAM), may be administered as an adjunct to, but not a substitute for atropine sulphate. Treatment with oxime should be maintained as long as atropine sulphate is administered.

At first sign of pulmonary oedema the patient should be given supplementary oxygen and treated symptomatically. Much information on (acetyl)cholinesterase inhibition and its treatment can be found on the internet.

This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Start 2-PAM at the same time, following manufacturer's recommended dosages and administration. Morphine, reserpine,phenothiazines and theophylline are probably contraindicated.

At first sign of pulmonary edema, the patient should be given

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

supplemental oxygen and treated symptomatically. Observe patient to ensure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. It may be helpful to show this safety data sheet to physician.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Do not spread spilled material with high-pressure water

streams.

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

phosphorus oxides Carbon oxides

Sulfur oxides

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Firefighters should wear protective clothing and self-contained

breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

If it can be safely done, stop the leak.

Do not touch or walk through the spilled material. Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Never return spills in original containers for re-use.

Collect as much of the spill as possible with a suitable absor-

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

bent material.

Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

In an industrial environment, it is recommended to avoid all personal contact with the product, if possible, by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

The product should never be heated above 55°C. Local heating above this temperature should be avoided as well.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Do not store near acids.

Recommended storage tem- :

perature

<= 77 °F / <= 25 °C

Further information on stor-

age stability

: No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
malathion (ISO) [containing ≤ 0,03 % isomalathion]	121-75-5	TWA	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (Inhalable fraction and vapor)	1 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable per-

sonal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Ensure that eyewash stations and safety showers are close

to the workstation location.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be

required.

Protective measures : Plan first aid action before beginning work with this product.

Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place. Wear suitable protective equipment.

The precautions mentioned relate mainly to the handling of the undiluted product and the preparation of the spray solu-

tion, but may also be recommended for spraying.

In the context of professional phytosanitary use as recom-

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

mended, the end user must refer to the indications on the label. In other cases, it is recommended to use the protec-

tions above.

Hygiene measures : General industrial hygiene practice.

Avoid contact with skin, eyes and clothing.

Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : suspension

Color : off-white

Odor : glue-like

Odor Threshold : No data available

pH : 4.53 (77 °F / 25 °C)

Concentration: 100 %

(undiluted)

Melting point/range : $< 32 \, ^{\circ}\text{F} / < 0 \, ^{\circ}\text{C}$

Boiling point/boiling range : No data available

Flash point : $> 212 \,^{\circ}\text{F} / 100 \,^{\circ}\text{C}$

Method: Pensky-Martens closed cup - PMCC

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.072 (68 °F / 20 °C)

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 1,092 mPa.s (68 °F / 20 °C)

973 mPa.s (104 °F / 40 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Malathion will decompose rapidly when heated to tempera-

tures above 140°C, significantly increasing the risk of explosion. Direct local heating such as electric heating or by steam

must be avoided.

The decomposition is dependent on time as well as temperature due to self-accelerating exothermic and autocatalytic reactions. The reactions involve rearrangements and polymerisation releasing volatile malodorous and inflammable compounds such as dimethyl sulphide and methyl mercaptan.

Possibility of hazardous reac- : No decomposition if stored and applied as directed.

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

tions

Conditions to avoid : Avoid extreme temperatures.

Avoid formation of aerosol.

Heating of the mixture may evolve harmful and irritant va-

pours.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Amines

The product can corrode metals (but does not meet the crite-

ria for classification).

Hazardous decomposition

products

Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.75 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 4,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Acute oral toxicity : LD50 (Rat): 1,857 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

LD50 (Rat): > 5,000 mg/kg Method: FIFRA 81.01

Acute inhalation toxicity : LC50 (Rat): > 5.02 mg/l

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Exposure time: 4 h

Test atmosphere: dust/mist Method: EPA OPP 81 - 3

Assessment: The component/mixture is minimally toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: FIFRA 81.02

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : slight irritation

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Method : FIFRA 81.05
Result : slight irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : slight irritation

Method : OECD Test Guideline 405

Remarks : Vapors may cause irritation to the eyes, respiratory system

and the skin.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Result : slight irritation Method : FIFRA 81.04

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Buehler Test
Species : Guinea pig
Method : EPA OPP 81-6

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Result : Not a skin sensitizer.

Remarks : Not expected to cause skin sensitisation.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Test Type : Buehler Test Method : FIFRA 81.06

Result : Does not cause skin sensitization.

Test Type : Local lymph node assay (LLNA)
Method : OECD Test Guideline 429

Result : Does not cause skin sensitization.

Test Type : Magnussen-Kligman test Method : OECD Test Guideline 406

Result : May cause sensitization by skin contact.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Remarks: Based on data from similar materials

Test Type: unscheduled DNA synthesis assay

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Rat Result: negative

Remarks: Based on data from similar materials

Test Type: unscheduled DNA synthesis assay

Species: Rat Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

May cause cancer.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Species : Rat

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Application Route : Ingestion
Exposure time : 24 month(s)
NOAEL : 6,000 ppm
Result : positive

Remarks : Probably carcinogenic to humans (IARC 2A)

Carcinogenicity - Assess-

ment

Occurrence of tumors has been observed at excessive exposure levels. This can be considered as not relevant for possi-

ble carcinogenicity to humans during normal use.

IARC Group 2A: Probably carcinogenic to humans

malathion (ISO) [containing ≤ 0.03 % isomalathion] 121-75-5

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

General Toxicity F1: NOAEL: 132 - 152 mg/kg bw/day

Symptoms: Reduced offspring weight gain.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

General Toxicity Maternal: NOAEL: 400 mg/kg bw/day

Teratogenicity: NOAEL: 800 mg/kg bw/day

Result: No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rabbit

General Toxicity Maternal: NOAEL: 25 mg/kg bw/day

Teratogenicity: NOAEL: 25 mg/kg bw/day

Result: No teratogenic effects.

Reproductive toxicity - As-

sessment

: Animal testing showed no reproductive toxicity.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Repeated dose toxicity

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Species : Rat
LOAEL : 34.4 mg/kg
Application Route : Oral - feed
Exposure time : 90 d

Target Organs : Nervous system

Symptoms : cholinesterase inhibition

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Salmo gairdneri): 0.74 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.8 μg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 285 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

: LD50 (Colinus virginianus (Bobwhite quail)): 528 mg/kg

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

04/04/2024 50001290 Date of first issue: 05/02/2018 1.3

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.72 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Selenastrum capricornutum (green algae)): 4.06 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.021 mg/l

Exposure time: 37 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00006 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

(Eisenia fetida (earthworms)): 613 mg/kg

Exposure time: 14 d

Remarks: No significant adverse effect on Nitrogen minerali-

No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organ-

isms

LD50 (Colinus virginianus (Bobwhite quail)): 359 mg/kg

Exposure time: 5 d

LC50 (Colinus virginianus (Bobwhite quail)): 3,497 mg/kg

Exposure time: 5 d Remarks: Dietary

LD50 (Anas platyrhynchos (Mallard duck)): > 2,250 mg/kg

LD50 (Apis mellifera (bees)): 0.38 µg/bee

End point: Acute oral toxicity

Ecotoxicology Assessment

Toxicity Data on Soil Harmful to the soil environment.

Other organisms relevant to

the environment

Harmful to terrestrial vertebrates., Harmful to terrestrial inver-

tebrates.

Persistence and degradability

Product:

Biodegradability Remarks: Malathion is biodegradable but does not meet the

criteria for being readily biodegradable. It undergoes rapid degradation in the environment and in wastewater treatment plants. No adverse effects are found at concentrations up to 100 mg/l in wastewater treatment plants. Degradation occurs

both aerobically and anaerobically, mostly biologically.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

04/04/2024 50001290 Date of first issue: 05/02/2018 1.3

Biodegradability Result: Not readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Bioaccumulation Species: Fish

Bioconcentration factor (BCF): 95 Remarks: Bioaccumulation is unlikely.

See section 9 for octanol-water partition coefficient.

Partition coefficient: n-

octanol/water

log Pow: 2.75

Mobility in soil

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

mental compartments

Distribution among environ- : Remarks: medium mobility in soil

Other adverse effects

Product:

Ozone-Depletion Potential Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues According to the Waste Framework Directive (2008/98/EC).

> possibilities for reuse or reprocessing should first be considered. If this is not possible, the material can be disposed of by removal to a licensed chemical destruction plant or by con-

trolled incineration with flue gas scrubbing.

Do not contaminate water, foodstuffs, feed or seed by storage

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

or disposal. Do not discharge to sewer systems.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

It is recommended to consider possible ways of disposal in

the following order:

1. Reuse or recycling should first be considered. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.

2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

3. Delivery of the packaging to a licensed service for disposal

of hazardous waste.

4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Malathion)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Malathion)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen: :

ger aircraft)

964

964

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Malathion)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

() a

Class : 9
Packing group : III

Labels : CLASS 9 ERG Code : 171 Marine pollutant : yes()

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ Calculated product F	
		(lbs)	(lbs)
malathion (ISO) [containing ≤ 0,03	121-75-5	100	305
% isomalathion]			
ethyl acetate	141-78-6	100	100 (F003)
benzene	71-43-2	10	10 (D018)

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

SARA 311/312 Hazards : Respiratory or skin sensitization

Carcinogenicity

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

malathion (ISO) 121-75-5 >= 30 - < 50 %

[containing ≤ 0,03 % isomala-

thion]

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

malathion (ISO) [contain- 121-75-5 >= 30 - < 50 %

ing ≤ 0,03 % isomalathi-

on]

calcium dodecylben- 26264-06-2 >= 0.1 - < 1 %

zenesulphonate

cyclohexane 110-82-7 >= 0 - < 0.1 % benzene 71-43-2 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

malathion (ISO) [contain- 121-75-5 >= 30 - < 50 %

ing ≤ 0,03 % isomalathi-

on1

calcium dodecylben- 26264-06-2 >= 0.1 - < 1 %

zenesulphonate

cyclohexane 110-82-7 >= 0 - < 0.1 % benzene 71-43-2 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

malathion (ISO) [containing \leq 0,03 % isomalathion] 121-75-5 hydrogen peroxide 7722-84-1

Pennsylvania Right To Know

water 7732-18-5 malathion (ISO) [containing ≤ 0.03 % isomalathion] 121-75-5 Monobutyl ether of polymer of 2-methyloxirane / oxirane 9038-95-3

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

calcium dodecylbenzenesulphonate 26264-06-2 hydrogen peroxide 7722-84-1

Maine Chemicals of High Concern

benzene 71-43-2

Vermont Chemicals of High Concern

benzene 71-43-2

Washington Chemicals of High Concern

benzene 71-43-2

California Prop. 65

WARNING: This product can expose you to chemicals including malathion (ISO) [containing ≤ 0,03 % isomalathion], benzene, which is/are known to the State of California to cause cancer, and

benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

malathion (ISO) [containing \leq 0,03 % isomalathion] 121-75-5

California Permissible Exposure Limits for Chemical Contaminants

malathion (ISO) [containing ≤ 0.03 % isomalathion] 121-75-5

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE


Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Indus-

according to the OSHA Hazard Communication Standard



FYFANON EW INSECTICIDE

Version Revision Date: SDS Number: Date of last issue: -

1.3 04/04/2024 50001290 Date of first issue: 05/02/2018

trial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2024 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet